

- [12] L. H. Bu and E. D. Lephart "AVPV neurons containing estrogen receptor-beta in adult male rats are influenced by soy isoflavones," *BMC Neuroscience*, vol.8, pp. 13, 2007.
- [13] R. L. Westfall, and S. M. Hauge, "The nutritive quality and the trypsin inhibitor content of soybean flour heated at various temperatures," *J. Nutr.*, 35, pp. 379-389, 1948.
- [14] NRC, "Nutrient Requirements of laboratory animals," *National Academic Paris*. Washington. D. C. 4th Revised Edition, 1995.
- [15] D. G. Thiagarajan, M. R. Bennink, L. D. Bourquin, and F. A. Kavaam, "Prevention of precancerous colonic lesions in rats by soy flakes, soy flour, genistein, and calcium," *J. Am. J. Clin. Nutr.*, vol. 68, pp. 1394S-9S, 1998.
- [16] A. Piesta, T. Maj, and A. Chelmońska-Soyta "The influence of mating on estrogen receptor alpha protein level in spleen and uterine macrophages in female mice," *Reprod. Biol.*, vol. 9, pp. 225-240, 2009.
- [17] J.D. Bancroft and H.C. Cook, "Immunohistochemistry manual of histological techniques and their diagnostic applications. W.B. Saunders Company 2nd ed, pp. 263-325, 1994.
- [18] R. Kopf, D. Lorenz, and E. Salewski, "The effect of thalidomide on the fertility of rats in reproduction experiments over 2 generations Naunyn Schmiedebergs," *Arch. Exp. Pathol. Pharmacol.*, vol. 247, pp. 121-35, 1964.
- [19] A.W. Hayes, "Principles and methods of toxicology," *Raven Press*, New York, pp. 141-184, 1986.
- [20] R.A. Drury, and E.A. Wallington, "Carleton histological technique," 5th Edition. *Published by Oxford Univ. Press*, London, New York. Tonto. pp. 137, 1980.
- [21] N. W. Tietz, "Fundamentals of clinical chemistry, W. B. Saunders, Philadelphia, 1970.
- [22] M. Casanova, L. You, K.W. Gaido, S. Archibeque Engle, D. B. Janszen, H. D. Heck, "Developmental effects of dietary phytoestrogens in Sprague-Dawley rats and interactions of genistein and daidzein with rat estrogen receptors a and b in vitro," *Toxicol. Sci.*, vol. 51, pp. 236-244, 1999.
- [23] K. M. Flynn, S. A. Ferguson, K. B. Delclos and R. R. Newbold, "Effects of genistein exposure on sexually dimorphic behaviors in rats," *Toxicol. Sci.*, vol. 55, pp. 311-9, 2000.
- [24] K. B. Delclos, T. J. Bucci, L. G. Lomax, J. R. Latendresse, A. Warbritton, C. C. Weis, and R.R. Newbold, "Effects of dietary genistein exposure during development on male and female CD (Sprague-Dawley) rats," *Reprod. Toxicol.*, vol. 15, pp. 647-63, 2001
- [25] J. Odum, H. Tinwell, K. Jones, J. P. Van Miller, R. L. Joiner, G. Tobin, H. Kawasaki, R. Deghenghi, and J. Sabih, "Effect of rodent diets on the sexual development of the rat," *Toxicol. Sci.*, vol. 61, pp 115-127, 2001.
- [26] N. V. Soucy, H. D. Parkinson, M. A. Sochaski, and S. J. Borghoff, "Kinetics of Genistein and Its Conjugated Metabolites in Pregnant Sprague-Dawley Rats Following Single and Repeated Genistein Administration," *Toxicol. Sci.*, vol. 90, pp. 230-240, 2006.
- [27] G. N. Wade, "Some effects of ovarian hormones on food intake and body weight in female rats," *J. Comp. Physiol. Psychol.*, vol. 88: 183- 193, 1975.
- [28] J. J. Bonavera, M. G. Dube and S. P. Kalra, "Anorectic effects of estrogen may be mediated by decreased neuropeptide-Y release in the hypothalamic paraventricular nucleus," *Endocrinol.*, vol. 134 no.6 , pp. 2367-70, 1994
- [29] K. Szkudelska, L. Nogowski, and T. Szkudelski, "Genistein affects lipogenesis and lipolysis in isolated rat adipocytes," *J. Steroid Biochem. Mol. Biol.*, vol. 75, pp. 265-71, 2000.
- [30] B. Binas, "Embryo-derived stem cells—a system is emerging," *BMB Rep.*, vol. 42, pp. 72-80, 2009
- [31] M. S. Lahijani and M. G. Ghorbani, "The effects of oral administration of morphine sulphate on foetuses of sprague-dawley rats," *Iranian Journal of Science & Technology*, vol. 28, pp. 85- 96, 2004.
- [32] G. Carmeliet, G. Nys, I. Stockmans, and R. Bouillon, "Gene Expression Related to the Differentiation of Osteoblastic Cells Is Altered by Microgravity. *Bone*," vol. 22, pp. 139S-143S, 1998.
- [33] K. S. Kang, S. Lee, H. Lee, W. Moon, and D. Cho, "Effects of combined mechanical stimulation on the proliferation and differentiation of pre-osteoblasts," *Experimental and Molecular Medicine*, vol. 43, pp. 367-373, 2011.
- [34] H. Niwa, J. Miyazaki, and A. G. Smith, "Quantitative expression of Oct-3/4 defines differentiation, dedifferentiation, or self-renewal of ES cells," *Nat. Genet.*; 24: 372- 376, 2000.
- [35] M. Nishimoto, S. Miyagi, T. Katayanagi, M. Tomioka, M. Muramatsu, and A. Okuda, "The embryonic Octamer factor 3/4 displays distinct DNA binding specificity from those of other Octamer factors," *Biochem. Biophys. Res. Commun.*, vol. 302, pp. 581-586, 2003.
- [36] M. E. Carley, D. J. Rickard, J. B. Gebhar, M. J. Webb, K. C. Podratz, and T. C. Spelsberg, "Distribution of estrogen receptors α and β mRNA in mouse urogenital tissues and their expression after oophorectomy and estrogen replacement," *Int Urogynecol. J.*, vol. 14, pp. 141- 145, 2003
- [37] K. S. Weber, K. D. Setchell, D. M. Stocco, and E. D. Lephart, "Dietary soy-phytoestrogens decrease testosterone levels and prostate weight without altering LH, prostate 5 α -reductase or testicular steroidogenic acute regulatory peptide levels in adult male Sprague-Dawley rats," *J. Endocrinol.*, vol. 170, pp. 591-9, 2001.
- [38] B. T. Akingbemi, T. D. Braden, B. W. Kampainen, K. D. Hancock, J. D. Sherrill, S. J. Cook, X. He and J. G. Supko, "Exposure to phytoestrogens in the perinatal period affects androgen secretion by testicular Leydig cells in the adult rat," *J. Endocrinol.*, vol. 148, pp. 4475- 4488, 2007.
- [39] C. Taxvig, A. Elleby, K.; Sonne-Hansen, E. C. Bonefeld-Jørgensen, A. M. Vinggaard, A. E. Lykkesfeldt, and C. Nellemann, "Effects of nutrition relevant mixtures of phytoestrogens on steroidogenesis, aromatase, estrogen, and androgen activity," *Nutr Cancer.*, vol. 62, pp. 122-31, 2010.